



DECLARATION OF CONFORMITY

Hickling Developments Ltd
Lacerta Court
Letchworth Garden City
Hertfordshire
England
SG6 1FD

This document declares that the product:

PVC-U Window

System Description: Aluplast Ideal 70

**For domestic and commercial buildings, conforming to the product requirements of
BS EN 14351-1:2006+A2:2016 Annex ZA**

AVCP Level 3

Essential Characteristics	Performance	Test Standards	Name, Address and Notified Body No of Test Laboratory	Test report reference and issue date
Watertightness	NPD	BS EN 1027	N/A	N/A
Dangerous substances	NONE	BS EN 14351-1: 2006	N/A	Safety Data Sheet
Resistance to wind load	NPD	BS EN 12211	N/A	N/A
Impact resistance	NPD	BS EN 13049	N/A	N/A
Load-bearing capacity of safety devices	NPD	BS EN 948	N/A	N/A
Ability to release	NPD	BS EN 179 and BS EN 1125	N/A	N/A
Acoustic performance	NPD	BS EN ISO 140-3	N/A	N/A
Thermal transmittance	1.4W/(m ² K)	EN ISO 10077-1 & EN ISO 10077-2 (or EN ISO 12567-1 and prEN 12567-2)	BFRC Simulator 131	Report Nos. ERC 2115
Radiation properties	NPD	EN 410	N/A	N/A
Air permeability	NPD	BS EN 1026	N/A	N/A

This declaration of performance is issued under the sole responsibility of Hickling Developments Ltd

Signed on behalf of Hickling Developments Limited:

Name: Tom Gorringe

Position: Group Technical Director

Signature: *Tom Gorringe*

Date: 11th June 2024